


CATALOG CH-44

Contractor's Hose & Accessories



ABBOTT RUBBER

COMPANY, INC.

LIST PRICE CATALOG - JANUARY 2019



We welcome you to visit our 100,000 square foot facilities in Elk Grove Village IL.



Order Entry and Technical Assistance - Our Specialty

**'We Sell
The Good Stuff'**
Why buy anything else?

1700 Nicholas Blvd.
Elk Grove Village, IL. 60007
(847) 952-1800
OUT OF STATE TOLL FREE
(800) 852-1855
FAX
(847) 952-0156

E-MAIL sales@abbottrubber.com
WEBSITE www.abbottrubber.com



*Unparalleled
Personalized Service*

INDEX

ItemPage

Water Suction Hose.....4-5
Water Discharge Hose6-8
Pump Hose Kits.....9
Air & Water Hose.....10-14
Cleaning Equipment Hose.....14
Special Purpose Hose.....15-17

ItemPage

Couplings & Accessories18-23
Pipe Fittings.....24
Hose Clamping Systems25
Hydraulic Hose Assemblies...26
Hydraulic Hose Accesories.....27

GOODYEAR

DIXON
The Right Connection™

BAND-IT®

Continental
ContiTech

tigerflex®

EAT•N

Kanaflex®

FLEXAUST®

Parker

Serving the Construction Market for Over 65 Years

Large inventory of bulk hose and coupled assemblies. Over 1,000 assemblies in stock.



We can fabricate to your exact hose needs.



All of our hose assemblies are fabricated according to the latest NAHAD Hose Safety Institute's Guidelines



MEMBER OF THE ASSOCIATION FOR HOSE AND ACCESSORIES DISTRIBUTION

SUCTION HOSE

PVC Water Suction Hose

Service: Water suction and discharge hose designed for construction, mining, marine and irrigation purposes. Temperature range: 15°F to 150°F.

Construction: Green, flexible, abrasion resistant PVC with a rigid PVC reinforcement for full vacuum. Smooth bore. Also available in clear construction.

I.D.	W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Cplgs	Price/ 20 Ft w/ C+Nipple Cplgs
1"	85#	\$ 1.56	\$ 63.50	\$ 58.50
1¼"	80#	1.78	91.50	72.50
1½"	70#	1.80	63.00	74.00
2"	65#	2.40	80.00	90.50
2½"	65#	5.25	164.00	168.00
3"	55#	4.52	147.50	161.50
4"	50#	7.90	257.50	272.00
6"	40#	15.96	548.00	579.00
8"	30#	49.50	2090.00	1649.00



★ Made in U.S.A.

LESS 5% FULL COILS OF 100 FT THRU 6" I.D.

(Series 1240)

All Weather Water Suction Hose

Service: All weather, low temperature suction and discharge hose. Lightweight and flexible. Ideal for septic handling and construction service. Temperature range: -40°F to 140°F.

Construction: Black 100% EPDM rubber tube reinforced with a green polyethylene plastic helix. Abrasion resistant cover. Also available in blue or red color most sizes.

I.D.	W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Cplgs	Price/ 20 Ft w/ C+Nipple Cplgs
1¼"	50#	\$ 2.58	\$ 107.50	\$ 79.00
1½"	50#	3.04	88.00	99.00
2"	50#	4.30	118.00	128.00
2½"	50#	7.32	205.50	209.50
3"	45#	8.30	223.00	237.00
4"	40#	16.74	434.50	448.50
6"	25#	31.72	863.50	894.50



★ Made in U.S.A.

LESS 5% FULL COILS OF 100 FT.

(Series 1220)

Crushproof Water Suction Hose

Service: An all plastic, highly flexible, crushproof, non-kinking and lightweight hose. Flexibility maintained to -50°F below zero.

Construction: Spiral welded. Pliable yellow smooth interior. Tough, abrasion resistant black plastic ribs. Furnished with leak proof vinyl cuffs permanently attached each end. Will handle full vacuum.

I.D.	W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Cplgs	Price/ 20 Ft w/ C+Nipple Cplgs
1½"	20#	\$ 6.20	\$ 151.00	\$ 162.00
2"	15#	8.50	202.00	212.00
3"	7#	14.20	341.00	355.00
4"	5#	25.50	609.50	624.00



★ Made in U.S.A.

STOCK LENGTHS AVAILABLE TO 50 FT.

(Series 1230)

SUCTION HOSE

Rubber Water Suction Hose

Service: General purpose water suction hose for contractors, industrial, and agricultural service. Temperature range: -10°F to 180°F.

Construction: Black smooth EPDM blend rubber tube, fabric plies and steel wire spiral for full vacuum service. Black rubber cover.

I.D.	W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Cplgs	Price/ 20 Ft w/ C+Nipple Cplgs
1¼"	150#	\$ 6.20	\$ 180.00	\$ 161.00
1½"	150#	6.70	161.00	172.00
2"	150#	7.82	188.50	198.50
2½"	150#	9.70	253.00	257.00
3"	150#	12.24	302.00	316.00
4"	125#	18.42	468.00	482.50
6"	100#	34.25	914.00	945.00
8"	75#	67.00	2440.00	1999.00
10"	75#	108.90	-----	-----
12"	75#	132.00	-----	-----



LESS 5% FULL COILS OF 100 FT THRU 6" I.D.

(Series 1210)

Clear Braid PVC Water Suction/Transfer Hose

Service: Specially designed for suction or transfer applications where visual flow or pressure is required. Temperature range: 15°F to 140°F.

Construction: Flexible PVC, clear, with an orange rigid PVC helix. Reinforced with a layer of spiral yarn.

I.D.	W/P @70°F	Price/Ft	Price/ 20 Ft w/ M+F Cplgs	Price/ 20 Ft w/ C+Nipple Cplgs
1½"	100#	\$ 6.96	\$ 165.00	\$ 177.00
2"	100#	8.20	196.00	206.00
3"	100#	9.74	252.00	265.50
4"	75#	14.62	392.00	406.50
6"	70#	29.90	827.00	858.00
8"	60#	49.30	2086.00	1645.00
10"	40#	75.82	-----	-----
12"	25#	120.00	-----	-----



★ Made in U.S.A.

LESS 5% FULL COILS OF 100 FT THRU 6" I.D.

(Series 1242)

Abrasion Resistant Suction Hose

Service: Ideal for applications requiring suction of abrasion resistant materials such as crushed rock, sand, gravel, or cement. Temperature range -40°F to 140°F

Construction: Black special abrasion resistant compound supported by a rigid PVC helix. Static dissipating.

I.D.	W/P @70°F	Price/Ft
1½"	45#	\$ 6.24
2"	40#	10.14
2½"	35#	12.96
3"	35#	17.14
3½"	30#	26.94
4"	30#	28.18
5"	30#	42.78
6"	30#	54.42
7"	30#	68.38
8"	30#	90.62
10"	28#	128.00
12"	25#	159.50



★ Made in U.S.A.

LESS 15% FULL COILS OF 100 FT. THRU 6" I.D./ 50 FT 8" I.D. THRU 12" I.D.

(Series 1630)

WATER DISCHARGE HOSE

Blue PVC Water Discharge Hose

Service: Designed for open end moderate water discharge service. Strong, lightweight and flexible lay flat hose for construction site service.

Construction: Close woven polyester jacket impregnated with PVC. Mildew resistant. Rolls up flat for easy storage. Blue in color.

I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Cplgs	Price/ 50 Ft w/ C+E Cplgs
1"	100#	\$.84	\$ -----	\$ -----
1½"	80#	.74	60.00	72.00
2"	80#	.78	67.00	79.00
2½"	65#	1.86	142.50	148.50
3"	80#	1.58	128.00	145.00
4"	70#	2.18	197.50	210.00
6"	60#	4.18	417.00	432.00
8"	35#	8.40	1478.00	1059.50
10"	35#	22.80	-----	-----
12"	30#	31.50	-----	-----
14"	30#	67.50	-----	-----
16"	30#	78.50	-----	-----



★ Made in U.S.A.
(1½" ID thru 8" ID)

GOODYEAR
(Series 1148)

LESS 10% FULL COILS OF 300 FT. THRU 8" I.D.
10" I.D. THRU 16" I.D. AVAILABLE IN 100 FT. COILS ONLY

Green Contractors PVC Water Discharge Hose

Service: Medium duty open end water discharge hose designed to handle a wide range of applications in construction, industry, and agricultural service.

Construction: PVC tube and cover reinforced with spiral polyester. Mildew resistant. Rolls up flat for easy storage. Green in color.

I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Cplgs	Price/ 50 Ft w/ C+E Cplgs
2"	80#	\$.98	\$ 76.00	\$ 88.00
3"	80#	1.98	146.00	163.00



★ Made in U.S.A.

GOODYEAR
(Series 1142)

LESS 10% FULL COILS OF 300 FT.

Red Heavy Duty PVC Water Discharge Hose

Service: Heavy duty premium quality discharge hose for use in higher pressure open end applications.

Construction: PVC reinforced with three spiral plies of polyester. Mildew resistant. Rolls up flat for easy storage. Red in color.

I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Cplgs	Price/ 50 Ft w/ C+E Cplgs
1½"	150#	\$ 1.52	\$ 95.50	\$ 107.50
2"	150#	1.98	121.00	133.00
2½"	150#	3.80	230.00	236.00
3"	150#	2.96	190.00	207.00
4"	150#	4.42	298.50	310.50
6"	150#	7.56	569.00	581.50
8"	70#	12.60	1667.00	1248.50



★ Made in U.S.A.
(thru 4" ID)

GOODYEAR
(Series 1152)

LESS 10% FULL COILS OF 300 FT.

WATER DISCHARGE HOSE

Extra Heavy Duty PVC Water Discharge Hose

Service: Recommended for open end use with high capacity pumps in irrigation and construction.

Construction: Heavy PVC/Nitrile tube reinforced with extra heavy fabric. Cover is yellow abrasion resistant PVC/Nitrile. Also available in Black color.

I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Cplgs	Price/ 50 Ft w/ C+E Cplgs
1½"	200#	\$ 3.70	\$ 212.00	\$ 234.00
2"	200#	4.50	257.00	269.00
2½"	200#	5.24	321.00	327.00
3"	200#	7.04	409.00	426.00
4"	175#	10.20	609.50	622.00
6"	125#	15.84	1021.00	1036.00
8"	125#	28.20	2510.00	2091.50



(Series 1166)

AVAILABLE IN 25, 50 OR 100 FT. LENGTHS ONLY

#125 Mill Discharge Hose

Service: Light duty general purpose lay flat water discharge hose.

Construction: Black rubber tube. White single-jacket all polyester cover. Will not absorb moisture.

I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Cplgs	Price/ 50 Ft w/ C+E Cplgs
1½"	125#	\$ 1.28	\$ 91.00	\$ 103.00
2"	125#	1.40	102.00	114.00
2½"	125#	2.04	161.00	167.00
3"	125#	2.32	173.00	190.00
4"	125#	3.40	269.50	282.00
6"	125#	7.50	604.00	619.00



GOODYEAR

(Series 1131)

AVAILABLE IN 25, 50 OR 100 FT. LENGTHS ONLY

Heavy Duty #150 Mill Discharge Hose

Service: General purpose lay flat water discharge hose.

Construction: Black SBR age resistant rubber tube. White single-jacket all polyester cover. Will not absorb moisture.

I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Cplgs	Price/ 50 Ft w/ C+E Cplgs
1"	150#	\$ 2.14	\$ 139.50	\$ 137.00
1½"	150#	1.98	126.00	138.00
2"	150#	2.68	166.00	178.00
2½"	150#	3.68	243.00	249.00
3"	150#	3.90	252.00	269.00
4"	150#	6.82	440.50	453.00



★ Made in U.S.A. GOODYEAR

(Series 1130)

AVAILABLE IN 25, 50 OR 100 FT. LENGTHS ONLY

Double Jacket #200 Mill Discharge Hose

Service: Lay flat water discharge hose featuring a double-jacket for greater abrasion resistance and service pressure.

Construction: Black SBR age resistant rubber tube. White double-jacket all polyester cover. Also available with red, yellow or black impregnation at additional charge.

I.D.	W/P @70°F	Price/Ft	Price/ 50 Ft w/ M+F Cplgs
1½"	200#	\$ 1.60	\$ 118.00
2"	200#	2.18	182.50
2½"	200#	2.90	214.50
3"	200#	3.90	339.50
4"	150#	4.80	543.50



(Series 1132)

ASSEMBLY INCLUDES INTERNAL EXPANDED ALUMINUM COUPLINGS
AVAILABLE IN 25, 50 OR 100 FT. LENGTHS ONLY

WATER DISCHARGE HOSE

Rubber Water Discharge Hose

Service: Top grade water discharge hose for industrial and construction applications. Temperature range -10°F to 150°F.

Construction: Black SBR rubber tube, 2 or 4 ply equivalent of woven polyester fabric. Black abrasion resistant SBR rubber cover.

I.D.	Plies	W/P @70°F	Price/Ft
1½"	2	100#	\$ 4.88
1½"	4	150#	7.72
2"	2	100#	6.70
2"	4	150#	9.88
2½"	2	100#	8.18
2½"	4	150#	11.52
3"	2	100#	10.38
3"	4	150#	13.30
4"	2	100#	13.44
4"	4	150#	18.26
6"	2	75#	22.48
6"	4	125#	30.12
8"	4	100#	49.42
10"	4	75#	63.96
12"	4	50#	81.82



AVAILABLE IN 25, 50, 100 FT. LENGTHS ONLY

(Series 1120)

Industrial Discharge Hose

Service: Medium duty lay flat oil resistant discharge hose for high capacity pumps. Temperature range -20°F to 180°F.

Construction: Extruded PVC/Nitrile reinforced with circular woven polyester. Black or yellow ribbed cover.

I.D.	Ply	W/P @70°F	Price/Ft
1½"	1	200#	\$ 3.70
2"	1	200#	4.50
2½"	1	200#	5.24
3"	1	200#	7.04
4"	1	175#	10.20
6"	1	125#	15.84
8"	1	125#	28.80
10"	1	125#	35.68
12"	1	125#	43.48



AVAILABLE IN 50 OR 100 FT. LENGTHS ONLY

(Series 1167)

Rubber Water Hose Assembly

Service: Moderate pressure water hose assembly for contractors and industrial service.

Construction: Contractors grade black rubber assembly includes machined brass GHT couplings thru ¾", NPSH couplings 1" thru 2" I.D.

I.D.	W/P @70°F	Price/25 Ft.	Price/50 Ft.	Price/100 Ft.
		w/ M+F Cplgs.	w/ M+F Cplgs.	w/ M+F Cplgs.
5/8"	150#	\$ 45.75	\$ 76.00	\$ 136.50
3/4"	150#	48.00	82.50	145.50
3/4"	200#	72.50	118.00	220.75
1"	150#	79.75	137.50	221.50
1½"	150#	181.00	335.00	643.50
2"	150#	333.00	635.00	1237.00



★ Made in U.S.A.

GOOD YEAR

(Series 1112)

CONTACT US FOR NON-STANDARD LENGTHS

Plastic Water Hose Assembly

Service: Low cost water hose assembly for contractors and industrial service.

Construction: Quality reinforced green cover PVC includes spun-brass GHT couplings thru ¾", machined brass NPSH couplings 1" I.D.

I.D.	Braid	W/P @70°F	Price/ 50 Ft w/ M+F Cplgs
5/8"	1	125#	\$ 25.00
3/4"	1	125#	69.00
1"	1	125#	207.50



★ Made in U.S.A.

(Series 1115)

CONTACT US FOR NON-STANDARD LENGTHS

PUMP HOSE KITS

Pump Hose Kits



- Choose from a wide selection of stock Water Suction Hose Kits below.
- Kits are supplied in a retail box with a color label.
- We can custom make just about any Water Suction Hose Kit requirement.

Ask

About our custom printed labels with your company name on the box.

PVC Water Suction Hose Kit

Includes

- 20 Ft. Series 1240 PVC Suction Hose Assembly (1" is 10 Ft.)
- 50 Ft. Series 1148 PVC Discharge Hose Assembly (1" is 25 Ft.)
- Spanner Wrench (Male & Female Kits only, not included on 1" Kit)
- Steel Strainer (Please specify Round or Square Hole)
- 2 Aluminum Part 'A' Adapters (Quick Coupling Kits only)
- Box for above with label (Customized Labels Available)

	1"	1½"	2"	3"	4"
M&F Thread	\$ 113.50	\$ 142.00	\$ 170.00	\$ 309.50	\$ 495.50
Quick Coupling	-----	172.50	199.00	355.75	544.50



Made in U.S.A.

QUICK COUPLING SUCTION HOSE IS 'C' X NIPPLE - DISCHARGE HOSE IS 'C' X 'E'

(Series 1240KIT)

All-Weather Water Suction Hose Kit

Includes

- 20 Ft. Series 1220 All-Weather Suction Hose Assembly
- 50 Ft. Series 1142 PVC Discharge Hose Assembly
- Spanner Wrench (Male & Female Kits only)
- Steel Strainer (Please specify Round or Square Hole)
- 2 Aluminum Part 'A' Adapters (Quick Coupling Kits only)
- Box for above with label (Customized Labels Available)

	2"	3"
M&F Thread	\$ 217.00	\$ 403.00
Quick Coupling	241.00	449.00



Made in U.S.A.

QUICK COUPLING SUCTION HOSE IS 'C' X NIPPLE - DISCHARGE HOSE IS 'C' X 'E'

(Series 1220KIT)

Rubber Water Suction Hose Kit

Includes

- 20 Ft. Series 1210 Rubber Suction Hose Assembly
- 50 Ft. Series 1130 Mill Discharge Hose Assembly
- Spanner Wrench (Male & Female Kits only)
- Steel Strainer (Please specify Round or Square Hole)
- 2 Aluminum Part 'A' Adapters (Quick Coupling Kits only)
- Box for above with label (Customized Labels Available)

	1½"	2"	3"	4"
M&F Thread	\$ 319.50	\$ 377.75	\$ 591.00	\$ 949.00
Quick Coupling	334.00	406.50	634.25	998.00



QUICK COUPLING SUCTION HOSE IS 'C' X NIPPLE - DISCHARGE HOSE IS 'C' X 'E'

(Series 1210KIT)



800-852-1855



www.abbottrubber.com

AIR & WATER HOSE

PVC Air Tool Hose

Service: Quality, rubber-like, PVC hose that can be used for air and water applications.

Operating temperature range -10°F to 150°F.

Construction: Lightweight and flexible oil resistant PVC tube and cover with polyester reinforcement. Available with red or blue cover. Yellow cover available most sizes.

I.D.	Braid	O.D.	W/P @70°F	Price/Ft
1/4"	1	.450	300#	\$.58
3/8"	1	.600	300#	.65
1/2"	1	.780	300#	1.30
3/4"	1	1.110	250#	2.05
1"	1	1.380	200#	2.95



★ Made in U.S.A.

LESS 10% FULL REELS OF 600/700 FT.

(Series 1048)

Industrial Air/Water Hose

Service: Economical hose that performs many jobs efficiently. Used for air and water service where little oil resistance is required. Temperature range -20°F to 190°F.

Construction: Black, EPDM, age resistant rubber tube reinforced with 1 or 2 braid equivalent spiral reinforcement. Abrasion and weather resistant red or black EPDM rubber cover.

I.D.	Braid	O.D.	W/P @70°F	Price/Ft
1/4"	1	.500	200#	\$.96
1/4"	2	.531	250#	1.02
1/4"	2	.531	300#	1.28
5/16"	1	.593	200#	1.12
3/8"	1	.656	200#	1.16
3/8"	2	.685	250#	1.32
3/8"	2	.690	300#	1.50
1/2"	1	.812	200#	1.46
1/2"	2	.843	250#	1.68
1/2"	2	.875	300#	2.08
5/8"	1	.937	200#	2.28
5/8"	2	.970	250#	2.50
3/4"	1	1.125	200#	2.28
3/4"	2	1.156	250#	2.62
1"	2	1.437	200#	3.75
1 1/4"	2	1.750	200#	7.04
1 1/2"	2	2.000	200#	8.62
2"	2	2.500	200#	14.55



★ Made in U.S.A.

LESS 10% FULL REELS 1/4" THRU 1" I.D. - 500/600 FT. 1 1/4" THRU 2" I.D. - 300/400 FT.

(Series 1010)

General Purpose Air/Water Hose

Service: A medium duty general purpose hose for handling air and water applications. Non-conductive. Temperature range -20°F to 180°F.

Construction: Black, Nitrile, oil resistant rubber tube with 1 or 2 braid equivalent of spiral reinforcement. Red Neoprene, good oil, abrasion and weather resistant cover. Black cover available most sizes.

I.D.	Braid	O.D.	W/P @70°F	Price/Ft
1/4"	2	.562	300#	\$ 1.68
3/8"	2	.687	300#	2.00
1/2"	2	.875	300#	2.64
3/4"	2	1.156	300#	3.56
1"	2	1.437	300#	8.34



★ Made in U.S.A.

LESS 10% FULL REELS - 500/600 FT.

(Series 1024)

AIR & WATER HOSE

PVC Air Tool Hose Assembly

Construction: PVC air tool hose assembly includes brass NPT male fittings attached with crimped ferrules both ends. Available in red, blue or yellow cover.

I.D.	W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males
1/4"	300#	\$ 21.00	\$ 34.00	\$ 60.50
3/8"	300#	25.25	40.00	69.50
1/2"	300#	44.25	74.00	133.00



★ Made in U.S.A.

ADD \$2.00 PER LENGTH FOR PVC BEND RESTRICTORS
PLEASE SPECIFY THREAD SIZE WHEN ORDERING
QUICK-DISCONNECT ADD-ON SEE PAGE 21

(Series 1048A)

Industrial Air/Water Hose Assembly

Construction: Industrial air/water hose assembly includes brass NPT male fittings attached with crimped ferrules both ends. Red cover.

I.D.	W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males
1/4"	250#	\$ 31.25	\$ 54.50	\$ 100.75
3/8"	250#	40.50	70.50	130.50
1/2"	250#	54.50	91.50	168.00



★ Made in U.S.A.

ADD \$2.00 PER LENGTH FOR PVC BEND RESTRICTORS
PLEASE SPECIFY THREAD SIZE WHEN ORDERING
QUICK-DISCONNECT ADD-ON SEE PAGE 21

(Series 1010A)

General Purpose Air/Water Hose Assembly

Construction: Oil resistant general purpose air/water hose assembly includes brass NPT male fittings attached with crimped ferrules both ends. Red cover.

I.D.	W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males
1/4"	300#	\$ 45.75	\$ 83.50	\$ 159.00
3/8"	300#	55.50	100.50	190.50
1/2"	300#	75.00	134.00	252.75



★ Made in U.S.A.

ADD \$2.00 PER LENGTH FOR PVC BEND RESTRICTORS
PLEASE SPECIFY THREAD SIZE WHEN ORDERING
QUICK-DISCONNECT ADD-ON SEE PAGE 21

(Series 1024A)

Low-Temperature Air/Water Hose Assembly

Service: New low-temperature, extremely flexible and lightweight air and water hose assembly. Features an oil resistant tube and non-marking cover.

Construction: High grade, low temperature PVC compound tube and cover reinforcement with high strength spiral polyester. Flexible to -40°F. Available with yellow, red or blue cover.

I.D.	W/P @70°F	Price/ 25 Ft w/ Brass Males	Price/ 50 Ft w/ Brass Males	Price/ 100 Ft w/ Brass Males
1/4"	300#	\$ 34.00	\$ 57.00	\$ 103.00
3/8"	300#	41.50	70.50	127.00



★ Made in U.S.A.

PLEASE SPECIFY THREAD SIZE WHEN ORDERING

(Series 1044A)

JACK HAMMER HOSE

Pneumatic Tool Air Hose Assembly

Red I.D.	Braid	W/P @70°F	Price/Ft Bulk Hose	Price/ 50 Ft Assembly
3/4"	2	300#	\$ 1.85	\$ 102.50
1"	2	200#	3.38	198.00

Service: A quality hose for use with mobile air compressors to 150# working pressure.

Construction: Black, oil mist resistant rubber tube, two braid equivalent of polyester spiral reinforcement. Abrasion and sunlight resistant EPDM rubber cover.

Yellow I.D.	Braid	W/P @70°F	Price/Ft Bulk Hose	Price/ 50 Ft Assembly
3/4"	2	300#	\$ 1.90	\$ 104.50
Green I.D.	Braid	W/P @70°F	Price/Ft Bulk Hose	Price/ 50 Ft Assembly
3/4"	2	300#	\$ 2.35	\$ 129.50
Blue I.D.	Braid	W/P @70°F	Price/Ft Bulk Hose	Price/ 50 Ft Assembly
3/4"	2	250#	\$ 2.60	\$ 143.50

ASSEMBLY INCLUDES UNIVERSAL COUPLINGS
ATTACHED WITH FERRULES EACH END
ADD \$6.50 PER LENGTH FOR 2-BOLT CLAMPS

★ Made in U.S.A.

(Series 1025A)

Twin Line Pneumatic Tool Air Hose Assembly

Service: Designed for use with mobile air compressors where dust control is required. Assembly is rated to 150# working pressure.

Construction: Twin hose bonded one line red for air and one line blue for water supply. Black, oil mist resistant rubber tube and abrasion and sunlight resistant EPDM rubber cover.

Red/Blue I.D.	W/P @70°F	Price/ 10 Ft Whip Assembly	Price/ 50 Ft Assembly
3/4"	300	\$67.50	\$ 238.50

ASSEMBLY INCLUDES UNIVERSAL COUPLINGS
ATTACHED WITH FERRULES EACH END
WATER LINE INCLUDES 3/8" BRASS MALES ATTACHED
SEE PAGE 19 FOR SPRAY ATTACHMENT KIT - SERIES 1026K.

★ Made in U.S.A.

(Series 1026)

Wire Braid Pneumatic Tool Air Hose Assembly

Service: A heavy duty hose for the most demanding applications. Used with mobile air compressors to 150# working pressure.

Construction: Oil-resistant rubber tube, multi-strand steel wire reinforcement, high-visibility bright yellow rubber cover.

I.D.	Braid	W/P @70°F	Price/Ft Bulk Hose	Price/ 50 Ft Assembly
3/4"	1-Wire	750#	\$ 7.18	\$ 379.00

★ Made in U.S.A.

(Series 1080)

Lay-Flat Pneumatic Tool Air Hose Assembly

Service: A quality lay-flat hose for use with mobile air compressors to 150# working pressure.

Construction: Oil resistant Nitrile rubber tube with polyester reinforcement. Yellow abrasion and sunlight resistant ribbed cover.

I.D.	Braid	W/P @70°F	Price/Ft Bulk Hose	Price/ 50 Ft Assembly
3/4"	1	225#	\$ 4.50	\$ 248.00

ASSEMBLY INCLUDES UNIVERSAL COUPLINGS
ATTACHED WITH BAND CLAMPS EACH END

(Series 1068)

AIR & WATER HOSE

Hose Whip Assembly

Service: Short hose assembly used as flexible connector between supply hose and tool.

Construction: Red cover, oil mist resistant (Series 1010) or oil resistant (Series 1024) tube with 2-braid equivalent spiral polyester. Assembly includes Universal one end, long shank steel male thread other end attached with Band-It clamps.

Oil Mist Resistant (Series 1010 Hose)

I.D.	Braid	W/P @70°F	Price/ 10 Ft Assembly	Additive Per Foot
1/2"	2	300#	\$ 40.50	\$ 2.08

Oil Resistant (Series 1024 Hose)

I.D.	Braid	W/P @70°F	Price/ 10 Ft Assembly	Additive Per Foot
1/2"	2	300#	\$ 46.50	\$ 2.64

PLEASE SPECIFY THREAD SIZE WHEN ORDERING
ADD \$22.00 PER LENGTH FOR BENT STEM SWIVEL



★ Made in U.S.A.

(Series 1010A)

(Series 1024A)

300# Push-On Hose

Service: Recommended for air, water, or low pressure hydraulic service and many other industrial applications. Non-conductive.

Construction: Black Nitrile, oil resistant rubber tube, single ply of neutral-angle braided fiber. Neoprene oil resistant rubber cover. Available with black, green, blue, gray or red cover.

I.D.	Braid	W/P @70°F	Price/Ft	Brass Male Price/Ea
1/4"	1	300#	\$ 1.98	\$ 1.50
3/8"	1	300#	2.30	2.00
1/2"	1	300#	2.98	3.65
5/8"	1	300#	4.68	6.14
3/4"	1	300#	6.46	6.12



★ Made in U.S.A.

(Series 1910)

LESS 15% - FULL REELS OF 500 FT

500# Multi-Purpose Hose

Service: Heavy duty multi-purpose hose for applications requiring long life. Non-conductive. Temperature range -20°F to 190°F.

Construction: Highest quality oil resistant Nitrile tube, reinforced with a special spiral yarn. Fluorescent yellow carboxylated Nitrile/PVC abrasion resistant cover.

I.D.	Braid	W/P @70°F	Price/Ft
1/4"	2	500#	\$ 4.02
3/8"	2	500#	4.92
1/2"	2	500#	6.94
3/4"	2	500#	9.16
1"	2	500#	13.58
1 1/4"	2	500#	21.72
1 1/2"	2	500#	24.88
2"	2	500#	26.10



★ Made in U.S.A.

(Series 1034)

LESS 10% - FULL REELS OF 500 FT

Fabric Braid Air Hose

Service: A medium pressure, heavy duty hose for air, water and jetting applications. Temperature range -25°F to 185°F.

Construction: Oil mist resistant rubber tube, polyester cord reinforcement, high-visibility bright yellow rubber cover.

I.D.	Braid	W/P @70°F	Price/Ft
3/4"	1	225#	\$ 3.70
1"	1	225#	4.25
1 1/4"	1	225#	6.48
1 1/2"	1	225#	8.75
2"	1	225#	10.05
2 1/2"	2	225#	14.54
3"	2	225#	16.98



(Series 1070)

AVAILABLE IN 50 OR 100 FT. LENGTHS ONLY

AIR & WATER HOSE

Wire-Braid Air Hose

Service: Engineered for heavy duty applications. Features a steel wire braid reinforcement.

Construction: Nitrile rubber tube, multi-strand steel wire reinforcement, high-visibility bright yellow rubber cover. Resists cutting and gouging in rough service applications.

I.D.	Braid	W/P @70°F	Price/Ft
3/4"	1-Wire	750#	7.18
1"	1-Wire	750#	9.40
1 1/4"	1-Wire	600#	14.50
1 1/2"	1-Wire	600#	19.80
2"	1-Wire	600#	21.60
2 1/2"	1-Wire	400#	37.90
3"	1-Wire	400#	48.00
4"	1-Wire	400#	77.86



★ Made in U.S.A.

AVAILABLE IN 25 OR 50 FT. LENGTHS ONLY

(Series 1080)

Wire-Braid "Bull Hose" Assembly

Service: For heavy duty applications. Suited for air hose for rough service using mobile air compressors.

Construction: Assembly includes ground joint malleable iron couplings attached with 4-bolt clamps.

I.D.	Braid	W/P @70°F	Price/ 50 Ft w/ MxF	Price/ 50 Ft w/ FxF
2"	2-Wire	500#	\$ 1225.00	\$ 1292.00
3"	2-Wire	400#	2688.50	2857.00



★ Made in U.S.A.

(Series 1080A)

CLEANING EQUIPMENT HOSE

Pressure Washer Hose Assembly

Service: High pressure water hose assembly for use with pressure washers. Handles hot water up to 250°F.

Construction: Black oil resistant tube and cover reinforced with steel wire. Assembly includes crimped on male pipe thread ends, swivel one end, and a bend restrictor on both ends. Also available in blue non-marking cover.

I.D.	Braid	W/P @70°F	Price/ 50 Ft w/ Male Cplgs	Price/ 100 Ft w/ Male Cplgs
1/4"	1-Wire	3000#	\$ 127.50	\$ 240.50
3/8"	1-Wire	3000#	148.00	266.50
3/8"	2-Wire	4500#	209.50	377.00

I.D.	Braid	W/P @70°F	Price/ 50 Ft w/ Male Cplgs	Price/ 100 Ft w/ Male Cplgs
3/8"	1-Wire	4000#	\$ 124.50	\$ 225.00
3/8"	2-Wire	5800#	172.50	310.00



★ Made in U.S.A.

Import 3:1 Design Factor

Import 3:1 Design Factor

CONTACT US FOR NON-STANDARD LENGTHS

(Series 1190)

Steam Cleaner Hose Assembly

Service: Medium pressure, flexible hose for steam cleaning operations and saturated steam use to 325°F. Can also handle 3000# W/P cold water.

Construction: Tube specially compounded for resistance to cleaning agents and detergents. Reinforced with braided steel wire. Black heat and oil resistant cover.

I.D.	Braid	Price/ 25 Ft w/ Male Cplgs	Price/ 50 Ft w/ Male Cplgs
3/8"	1-Wire	\$ 196.00	\$ 349.00
1/2"	1-Wire	248.00	452.00



★ Made in U.S.A.

ASSEMBLY INCLUDES MALES ATTACHED BOTH ENDS

(Series 1320)

SPECIAL PURPOSE HOSE

Sand Blast Hose

Service: For conducting sand, steel shot or other sharp abrasives at high velocity.

Construction: ¼" thick abrasion resistant static-conducting tube. Reinforced with spiral polyester cord. Black abrasion resistant rubber cover.

Size	Ply	O.D.	W/P @70°F	Price/Ft
1/2"	2-Ply	1.130	150#	\$ 4.75
3/4"	4-Ply	1.500	150#	7.40
1"	4-Ply	1.875	150#	8.32
1 1/4"	4-Ply	2.156	150#	9.58
1 1/2"	4-Ply	2.375	150#	11.35
2"	4-Ply	2.875	150#	17.00

AVAILABLE IN 25, 50 OR 100 FT LENGTHS ONLY



(Series 1660)

Plaster & Grout Hose

Service: Heavy duty plaster and grout, or cement discharge hose. Easy to handle and kink resistant.

Construction: Black abrasion resistant SBR rubber tube, spiral plies of high-strength polyester. Cover is abrasion resistant and ozone resistant rubber. Couplings are internally expanded steel, Victaulic, California Style or IPT - Please specify.

I.D.	Ply	W/P @70°F	Price/Ft	Couplings Price/Pr
1"	2-Ply	1230#	\$ 13.40	\$ 186.00
1 1/4"	2-Ply	1230#	14.30	178.00
1 1/2"	4-Ply	1230#	18.80	192.00
2"	4-Ply	1230#	21.70	192.00
2 1/2"	4-Ply	1230#	30.20	264.50
3"	4-Ply	1230#	41.24	307.50
4"	4-Ply	1230#	54.82	478.50

AVAILABLE IN 50 FT LENGTHS ONLY



2:1 Design Factor

★ Made in U.S.A.

(Series 1670)

Gunite Hose

Service: Designed for pumping dry sand and cement.

Construction: Gum rubber tube reinforcement with a high tensile cord. Non-marking cover and an imbedded static wire. Couplings are internally expanded steel, Victaulic, California Style or IPT - Please specify.

I.D.	Ply	W/P @70°F	Price/Ft	Couplings Price/Pr
1 1/2"	4-Ply	150#	\$ 20.00	\$ 183.50
1 3/4"	4-Ply	150#	20.20	On Application
2"	4-Ply	150#	23.20	184.50

AVAILABLE IN 50 FT LENGTHS ONLY



(Series 1675)

Plastic Vacuum Hose

Service: Heavy duty all plastic hose for air, gases, dust, fumes and liquid by suction, gravity or pressure.

Construction: Non-wire interlocking construction allows hose to be crush-resistant. Smooth, screw-on vinyl cuffs available.

I.D.	Maximum Vacuum	Price/Ft	Price/Cuff
1 1/4"	29"	\$ 3.48	\$ 4.00
1 1/2"	29"	4.25	5.00
2"	20"	5.60	8.50

MAXIMUM LENGTH - 50 FT



★ Made in U.S.A.

(Series 1810)

Twin Welding Hose Assembly

Service: Dual-line hose for oxygen & acetylene service. Meets RMA spec. Type VD, Grade R.

Construction: One line red and one green bonded together for easy handling. Coupled with 9/16-18 females both ends.

I.D.	Braid	W/P @70°F	Price/ 25 Ft w/ Cplgs	Price/ 50 Ft w/ Cplgs
1/4"	1	200#	\$ 61.50	\$ 105.50



★ Made in U.S.A.

(Series 2050A)

SPECIAL PURPOSE HOSE

Ventilation & Blower Hose

Service: Used with portable blowers and heaters, ventilation and fume removal equipment. Temperature range -20°F to 180°F.

Construction: Expanded wire pitch for excellent compressibility and minimum storage. Yellow PVC impregnated polyester with a black wear strip. Custom lengths available.

I.D.	Price/ 15 Ft Belt & Buckle	Price/ 25 Ft Belt & Buckle
8"	\$ 161.50	\$ 250.00
10"	250.00	396.50
12"	341.00	503.50



★ Made in U.S.A.

(Series 2582)

ADD \$90.00 PER LENGTH FOR ATTACHED STORAGE BAG ONE END

Airless Paint Spray Hose Assembly

Service: Lightweight and flexible static conductive hose for airless paint spray. Temperature range 0° to 200°F.

Construction: Nylon tube, chemical and solvent resistant. Polyester reinforcement and Polyurethane cover. Dissipates static charge.

I.D.	W/P @70°F	Price/ 25 Ft w/ Cplgs	Price/ 50 Ft w/ Cplgs
1/4"	3300#	\$ 64.00	\$ 90.00



★ Made in U.S.A.

(Series 2015)

ASSEMBLY INCLUDES NPSH SWIVEL FEMALES AND SPRING GUARDS BOTH ENDS

LPG Butane-Propane Hose

Service: Flexible, heavy duty, high pressure hose for handling L.P. gas up to 50# working pressure. U.L. listed. Can also be used for low pressure natural gas up to 1# working pressure. Not for use in confined work areas. Temperature range -20°F to 190°F.

Construction: Smooth, permeation resistant Nitrile tube, braided synthetic reinforcement. Black oil resistant synthetic cover.

I.D.	Braid	W/P @70°F	Price/Ft
1/4"	1	350#	\$ 3.04
3/8"	1	350#	3.08
1/2"	1	350#	4.12
3/4"	2	350#	9.14
1"	2	350#	9.30



★ Made in U.S.A.

(Series 2020)

LESS 10% - FULL REELS OF 500/600 FT

Natural Gas Portable Heater Hose

Service: Low pressure hose designed for use with portable heaters using natural gas up to 1# working pressure. Not for use in confined work areas. Temperature range -40°F to 200°F.

Construction: Black Nitrile tube reinforced with spiral polyester. High visibility red corrugated Hypalon® cover.

I.D.	Braid	Price/Ft	Price/ 25 Ft w/ MxF
1/2"	2	\$ 5.90	\$ 163.25



★ Made in U.S.A.

(Series 2024)

LESS 10% - FULL REELS OF 500/600 FT

Urethane Water & Slurry Transfer Hose

Service: Water and slurry transfer hose for applications of rugged terrain or where strength and abrasion resistance for the tube or cover is essential. Blue NSF 61 grade can be used for potable water applications. Flexible at temperatures to -58° F.

Construction: High abrasion resistant extruded thermoplastic polyurethane reinforced with high strength circular woven filament polyester yarn. Cover is black. Blue cover for NSF 61 grade.

I.D.	W/P @70°F	(1169) Black Price/ Ft	(1159) Blue Price/ Ft
1"	250#	\$ 7.10	\$ 7.60
1½"	200#	7.90	8.75
2"	200#	9.90	10.50
2½"	200#	11.32	12.50
3"	200#	15.30	16.25
4"	175#	21.00	23.40
6"	150#	35.50	38.65



(Series 1169) (Series 1159)

LESS 10% FULL COILS OF 650 FT.

SPECIAL PURPOSE HOSE

Hot Tar & Asphalt Hose

Service: Designed to handle high temperature asphalt, tar, oil and other unrefined petroleum products. Maximum working temperature 350°F.

Construction: Special high temperature tube reinforced with a dual wire helix. Black petroleum, abrasion, heat and ozone resistant cover.

I.D.	Ply	W/P @70°F	Price/Ft
1½"	4	150#	\$ 31.40
2"	4	150#	35.80
3"	4	150#	49.26
4"	4	150#	59.20

I.D.	Braid	W/P @70°F	Price/Ft
1"	2W	300#	\$ 24.50

1" APPLICATOR HOSE AVAILABLE IN 25 OR 50 FT. LENGTHS ONLY



★ Made in U.S.A.

(Series 1780)


Elephant Trunk Hose

Service: Designed for open end cement and abrasives by gravity flow.

Construction: Tan pure gum tube. Reinforced with polyester. Black natural rubber/SBR cover.

I.D.	Ply	Tube	W/P @70°F	Price/ Ft
8"	2	⅛"	50#	\$ 67.50
10"	2	⅛"	50#	96.42
12"	2	⅛"	50#	102.86
14"	2	⅛"	50#	138.28
16"	2	⅛"	50#	160.75

LESS 15% - FULL COILS OF 50 FT.



(Series 1755)

Hot Air Blower Hose

Service: Used for hot air to 300°F under pressure between the air compressor and dry bulk tank.

Construction: Black EPDM, heat resistant tube, polyester cord and steel wire helix reinforcement. Black EPDM cover with yellow stripe.

I.D.	Ply	W/P @70°F	Price/ Ft
2"	2	150#	\$ 17.40
3"	2	150#	30.65
4"	2	150#	42.90

LESS 10% - FULL COILS OF 100 FT.



★ Made in Canada
(3 & 4" ID)

(Series 1740)

Dry Materials/Cement Discharge Hose

Service: For pneumatic transfer of cement or dry powder under low pressure and for use with abrasive slurries.

Construction: Black abrasion resistant and static conducting natural rubber tube with polyester cord reinforcement. Black wear and weather resistant cover. Maximum length - 100 ft.

I.D.	Ply	Tube	W/P @70°F	Price/ Ft
4"	2	⅜"	75#	\$ 22.40
4"	2	¼"	75#	30.20
4½"	2	¼"	75#	42.58
5"	2	¼"	75#	44.88

AVAILABLE IN 20 FT. MULTIPLES ONLY



(Series 1750)

High Pressure Water Blast Hose

Service: Extreme high pressure, high performance water blast hose to handle water on high pressure equipment.

Construction: Seamless synthetic water and oil resistant tube reinforced with layers of 2 braid equivalent of spiral wire. Black oil, abrasion and weather resistant cover.

I.D.	Braid	W/P @70°F	Price/ 50 Ft w/ MxM
1/4"	2W	14,000#	\$ 530.00
3/8"	2W	12,000#	509.00
1/2"	2W	12,000#	519.50
3/4"	2W	10,000#	1115.00
1"	2W	10,000#	1210.50

AVAILABLE IN 50 FT. ASSEMBLIES ONLY



2.5:1 Design Factor

(Series 1998)

COUPLINGS & ACCESSORIES

Quick Couplings - Aluminum

(Series Q)



Size	Part 'A' Female Adapter	Part 'B' Male Coupler	Part 'C' Hose Shank Coupler	Part 'D' Female Coupler	Part 'E' Hose Shank Adapter	Part 'F' Male Adapter	Part 'DC' Dust Cap	Part 'DP' Dust Plug	Rubber Gaskets
1¼"	\$ 6.38	\$ 13.82	\$ 13.26	\$ 15.40	\$ 6.65	\$ 8.78	\$ 14.35	\$ 5.28	\$ 1.20
1½"	5.10	12.92	12.08	13.90	5.55	6.80	10.68	3.98	1.35
2"	6.20	15.26	13.80	16.35	7.34	8.30	12.36	5.00	1.20
2½"	11.38	23.55	20.50	25.86	12.95	14.35	17.30	9.88	1.50
3"	12.85	25.98	24.90	26.08	14.25	15.16	20.58	8.60	1.55
4"	17.75	35.78	37.20	38.22	22.40	24.58	26.42	14.12	2.05
6"	38.12	78.82	83.30	86.04	59.58	54.74	65.76	31.40	5.60
8"	170.00	349.25	313.95	307.35	187.92	222.50	234.00	150.82	22.50

ALSO AVAILABLE IN STAINLESS STEEL, BRASS, POLYPROPYLENE, AND NYLON

Suction Hose Couplings

(Series SU)

Aluminum with Brass Swivel Female

Size	Complete Set	Female Only	Male Only
1¼"	\$ 39.00	\$ 26.00	\$ 19.50
1½"	9.50+	6.50	4.75
2"	14.00	9.50	7.00
2½"	33.00+	22.00	16.50
3"	29.50	19.75	14.75
4"	47.50	32.00	23.75
6"	128.00	86.00	64.00
8"	920.00	616.50	460.00



*ADD \$11.00/SET FOR NST THREAD

Spanner Wrenches

(Series SW)

Size	Price/Each
1½"	\$ 4.90
2"	5.75
2½"	6.50
3"	10.50
4"	13.50
6"	90.25



PLATED MALLEABLE IRON

Rubber Washers

(Series SRW)

Size	Price/Each
1¼"	\$.60
1½"	.60+
2"	.75
2½"	1.05+
3"	.95
4"	1.70
6"	4.70
8"	10.10



*ADD \$1.25/EACH FOR NST THREAD

Steel Strainers

(Series SRHS)

(Series SSHS)

Size	Price/Each
1½"	\$ 14.00
2"	17.50
2½"	31.50
3"	23.50
4"	27.00
6"	68.00
8"	210.00



Round



Square

Top Hole Skimmer Strainers

(Series SSKS-TH)



Size	Price/Each
1½"	\$ 41.50
2"	41.50
3"	80.00

Iron Foot Valve w/ Strainer

(Series SFV)



Long Narrow Strainers

(Series SRHS-LN)

Size	Price/Each
1½"	\$ 25.00
2"	28.00
3"	43.50



Bottom Hole Skimmer Strainers

(Series SSKS-BH)



Size	Price/Each
1½"	\$ 40.00
2"	40.00
3"	76.50

Size	Price/Each	Flapper Valve Assembly
1½"	\$ 26.50	\$ 14.80
2"	41.25	19.85
2½"	58.90	24.90
3"	70.00	26.55
4"	128.00	39.00
6"	315.00	95.70
8"	633.50	209.20

COUPLINGS & ACCESSORIES

Universal Hose Couplings

(Series UH)



(Series UF)



(Series UM)



(Series UC)



Size	Hose End Price/Each	Female End Price/Each	Male End Price/Each	2/4-Bolt Clamp Price/Each
1/4"	\$ ----	\$ 4.50	\$ 4.50	\$ ----
3/8"	3.90	4.50	4.50	10.30
1/2"	3.90	4.50	4.50	4.25
5/8"	12.40	-----	-----	-----
3/4"	4.50	4.75	4.50	5.50
1"	5.35	5.50	5.50	7.50
1 1/4"	15.00	14.00	-----	32.30
1 1/2"	16.50	14.00	-----	42.10
2"	19.50	16.75	-----	45.60

2-LUG CONNECTION SIZES 1/4" TO 1" - 4-LUG SIZES 1 1/4" TO 2"

Universal Gaskets

(Series UG)

	Price/Each
2-Lug	\$.70
4-Lug	4.55



2-LUG GASKETS SOLD IN BAGS OF 50 PCS.

Three-Way Connection

(Series UWT)

Price/Each
\$ 10.70



Compressor "Y"

(Series UY)



Price/Each
\$ 68.55

1" FNPT X TWO 3/4" MPT CONNECTS A SINGLE SUPPLY TO A DUAL OUTLET

In-Line Lubricators

(Series UPL)



Size	Oil Capacity	Price/Each
1/2"	1.4 oz	\$ 65.00
3/4"	3.7 oz	78.50
3/4"	11.0 oz	94.00
1"	16.0 oz	154.50

LUBRICATOR KITS WITH HOSE WHIPS AVAILABLE - SEE PAGE 12

Excess Air Flow Valves

(Series UX)



Size	Price/Each
3/4"	\$ 102.50
1"	115.50
1 1/4"	239.00
1 1/2"	400.00
2"	548.00
3"	2323.00

PLEASE SPECIFY REQUIRED SCFM RATING

Dual "Y" Valve

(Series UDY)



Price/Each
\$ 190.15

1" FEMALE INLET x (2) 3/4" FEMALE OUTLET

Safety Whip-Check Cables

(Series UW)



Hose I.D.	Length	Price/Each
1/2" - 1 1/4"	20 1/4"	\$ 18.50
1 1/2" - 3"	38"	27.50
4"	44"	69.95

(Series UWS)



Hose I.D.	Length	Price/Each
1/2" - 1 1/4"	20 1/4"	\$ 18.75
1 1/2" - 3"	38"	27.50
4"	44"	69.90

Twin Line Hose Spray Kit

(Series 1026K)

Kit Includes:

- Couplings
- Connections
- Jumper Water Hose
- Water Valve
- Water Spray Nozzle
- Thread Tape
- Straps
- Instructions



Price/Each
\$ 192.50

FOR USE WITH SERIES 1026 TWIN LINE PNEUMATIC TOOL AIR HOSE ASSEMBLY - PAGE 12.
USE FOR EFFECTIVE SILICA DUST CONTROL.

COUPLINGS & ACCESSORIES

Brass Fittings

(Series A)



Hose I.D.	Thread NPT	Male Price/Each	Female Price/Each
1/4"	1/4"	\$ 1.40	\$ 1.95
5/16"	1/4"	1.65	1.95
3/8"	1/4"	1.60	1.95
3/8"	3/8"	2.00	2.75
1/2"	3/8"	2.30	2.90
1/2"	1/2"	3.65	4.10
3/4"	3/4"	5.40	5.50
1"	1"	10.75	-----

OTHER SIZES AVAILABLE

Brass Ferrules

(Series FBL)



Hose I.D.	Length	Price/Each
1/4"	3/4"	\$.38
5/16"	1"	.56
3/8"	1"	.62
1/2"	1"	.70
5/8"	1"	1.40
3/4"	1"	1.85
1"	1"	2.00

SPECIFY HOSE O.D. WHEN ORDERING

Crimping Tools



(Series MC)

Crimps 1/4" thru 3/8" I.D. Hose

DIES INCLUDED Price/Each \$ 307.50



(Series MCL)

Crimps 1/2" thru 1" I.D. Hose

DIES OPTIONAL Price/Each \$ 325.00

Industrial Quick-Disconnect Couplings

(Series M)

Industrial Interchange



Female Coupler



Male Coupler



Hose Shank Coupler



Female Plug



Male Plug



Hose Shank Plug

Thread/Barb	1/4" Body Size	3/8" Body Size
1/4"	\$ 8.75	\$ 21.50
3/8"	11.50	21.50
1/4"	8.75	21.50
3/8"	11.50	21.50
1/4"	10.75	24.50
3/8"	13.00	22.75
1/4"	2.15	4.75
3/8"	4.50	3.50
1/4"	2.15	4.75
3/8"	4.50	4.50
1/4"	5.00	7.50
3/8"	5.25	5.50

RATED TO 300 PSI

Quick-Disconnect Set

(Series M)

For 1/4" Thread



Price/Each

\$ 11.50

SET INCLUDES FEMALE COUPLER AND MALE QUICK-DISCONNECT PLUG

Quick-Disconnect Set Add-On

Body Size	Price/Each
1/4"	\$ 12.50
3/8"	21.75



ADD PER YOUR REQUIREMENTS TO HOSE ASSEMBLY PRICE

Pressure Washer Quick-Disconnects

(Series KQD)

Straight-Thru Style Couplings



Female Coupler

Size	Price Each
1/4"	\$ 8.25
3/8"	10.00



Male Coupler

Size	Price Each
1/4"	8.25
3/8"	10.00



Female Plug

Size	Price Each
1/4"	2.75
3/8"	4.25



Male Plug

Size	Price Each
1/4"	2.75
3/8"	4.25

RATED TO 3500 PSI

Bent Stem Swivels

(Series US)



3/8" Male NPT x 7/8-24 Thread

Price/Each \$ 28.50



3/8" Female NPT x 7/8-24 Thread

Price/Each 28.50



1/2" Hose Shank x 7/8-24 Thread

Price/Each 24.50



1/2" Hose Shank x 1/2" NPT Thread

Price/Each 24.50

Air Tool Lubricant

(Series UL)

Size	Price/Each
Pint	\$ 16.00
Gallon	69.50



Anti-Freeze Lubricant

(Series ULA)

Size	Price/Each
Pint	\$ 26.00
Gallon	155.75



USE TO -40°F

COUPLINGS & ACCESSORIES

Polyurethane Recoil Air Hose Assembly (Series MP)



I.D.	Male	Length	Price/Each
1/4"	1/4"	10 Ft	\$ 43.50
1/4"	1/4"	20 Ft	58.00
1/4"	1/4"	30 Ft	83.00
3/8"	3/8"	20 Ft	110.00
3/8"	3/8"	30 Ft	151.00

INCLUDES SWIVEL FITTINGS BOTH ENDS
WORKING PRESSURE - 125 PSI

Nylon Recoil Air Hose Assembly (Series MR)



I.D.	Male	Length	Price/Each
1/4"	1/4"	12 Ft	\$ 33.50
1/4"	1/4"	25 Ft	49.00
3/8"	3/8"	25 Ft	83.00
3/8"	3/8"	50 Ft	143.50
1/2"	1/2"	25 Ft	164.50
1/2"	1/2"	50 Ft	250.00

INCLUDES SWIVEL FITTING ONE END
WORKING PRESSURE - 200 PSI

Brass Hex Reducer Bushing (Series AHB)



Female NPT	Male NPT	Price/Each
1/4"	3/8"	\$ 2.73
1/4"	1/2"	4.27
3/8"	1/2"	3.61
3/8"	3/4"	6.95
1/2"	3/4"	7.20
1/2"	1"	14.08
3/4"	1"	11.60

Ball Swivel (Series MBS)



Size	Male NPT	Price/Each
1/4"	1/4"	\$ 22.00
3/8"	1/4"	16.25

RATED TO 150 PSI

Air Tool Swivel (Series MTS) Aluminum



Size NPT	Price/Each
1/4"	\$ 20.50
3/8"	22.50

RATED TO 150 PSI

Brass In-Line Swivel (Series MLS)

Female NPT	Male NPT	Price/Each
1/4"	1/4"	\$ 14.00
3/8"	3/8"	30.80
1/2"	1/2"	80.80
3/4"	3/4"	82.00



RATED TO 150 PSI

Safety Blow Gun (Series MB) 1/4" Thread



Price/Each
\$ 22.50

Female Air Chuck (Series M) 1/4" Thread



Price/Each
\$ 4.90

Brass Hex Nipples (Series AH)

Size	Price/Each
1/8"	\$ 2.53
1/4"	2.81
3/8"	4.09
1/2"	5.70
3/4"	10.75



Ball & Socket Couplings - Type B

Serrated Shank thru 8" - Type 'A' 10" + 12" size
(Series SWL)




Size	Male w/ Hose Shank	Female w/ Hose Shank	Male w/ Male NPT	Female w/ Male NPT	Male w/ 150# ASA Flange	Female w/ 150# ASA Flange	SBR Rubber Gaskets
2"	\$ 90.65	\$ 63.16	\$ 80.60	\$ 51.95	\$ -----	\$ -----	\$ 4.84
3"	133.26	92.30	159.06	82.49	-----	-----	5.61
4"	148.76	120.66	196.96	115.42	303.95	172.57	8.03
6"	346.95	245.74	343.19	276.46	460.89	291.88	12.83
8"	653.85	410.45	573.96	398.19	723.37	434.04	21.97
10"	301.06	395.07	-----	-----	596.23	596.13	58.50
12"	434.92	718.77	-----	-----	954.68	856.56	66.50

COUPLINGS & ACCESSORIES

Ground Joint Type Couplings

(Series GJ)



Size	Female End Price/Each	Male End Price/Each	Splicer Price/Each	2/4-Bolt Clamp Price/Each	Female Spud Only Price/Each	Male Spud Only Price/Each	Double Spud Price/Each
3/8"	\$ 45.95	\$ 6.55	\$ -----	\$ 10.30	\$ 23.60	\$ 22.15	\$ -----
1/2"	39.00	6.78	11.50	10.05	19.80	25.15	40.40
3/4"	45.00	10.38	20.40	12.80	17.00	24.60	38.25
1"	47.25	15.20	32.70	24.75	18.25	25.55	38.25
1 1/4"	88.45	28.35	24.60	32.30	39.65	56.20	66.75
1 1/2"	85.90	32.10	23.40	42.10	38.00	54.70	66.75
2"	110.10	43.35	40.90	45.60	40.65	59.15	72.50
2 1/2"	232.15	72.65	79.10	58.35	97.50	137.60	141.75
3"	267.55	99.10	87.10	74.05	106.35	144.70	150.80
4"	540.00	165.65	-----	256.20	185.90	-----	-----

FOR USE WITH WIRE-BRAID AIR HOSE - SERIES 1080

Combination Hose Nipples

(Series CN)
Plated Steel

Size	Price/Each
1 1/4"	\$ 4.90
1 1/2"	5.75
2"	6.85
2 1/2"	14.00
3"	14.90
4"	25.45
6"	75.25
8"	165.00
10"	267.50
12"	420.00



ALSO AVAILABLE IN STEEL, BRASS,
ALUMINUM, NYLON, POLYPROPYLENE,
AND STAINLESS STEEL

Steel Hose Menders

(Series CM)
Plated Steel

Size	Price/Each
1/2"	2.44
5/8"	2.74
3/4"	2.90
1"	3.26
1 1/4"	4.70
1 1/2"	6.24
2"	7.70
2 1/2"	12.22
3"	17.00
4"	26.44
6"	77.14



Brass Menders

(Series A)

Size	Price/Each
1/4"	\$ 2.25
3/8"	2.60
1/2"	3.60
3/4"	5.80
1"	10.95



Steel Close Nipples

(Series CS)

Thread Size	Price/Each
1"	\$ 3.50
1 1/4"	4.40
1 1/2"	5.50
2"	7.45



O-Ring Kit

(Series O)



Price/Each
\$ 42.00

KIT INCLUDES 382 70 DUROMETER
BUNA-N O-RINGS, 30 DIFFERENT SIZES
FROM SIZE -006 TO SIZE -327.
SUPPLIED IN A RED ABS CASE.

Airline Filters

(Series AF)
Heavy Duty Metal Bowl



Size	CFM	Price/Each
3/4"	316	\$ 362.50
1"	323	362.50
1 1/2"	1280	1369.00
2"	1400	1369.00

ADD \$60.00 FOR AUTO DRAIN

150# Steel Flanges

(Series PFL)
Carbon Steel



Thread Size	Price/Each
1"	\$ 12.75
1 1/4"	14.84
1 1/2"	18.90
2"	32.70
2 1/2"	42.52
3"	48.05
4"	78.75
6"	115.00
8"	182.70

COUPLINGS & ACCESSORIES

Brass Hydrant Adapters

(Series JBHA)



Size	Price/Each
2½" NST x GHT	\$ 37.50
2½" NST x 1" IPT	34.00
2½" NST x 1½" IPT	35.00
2½" NST x 2" IPT	42.00
4½" NST x 2½" NST	175.00

WE ALSO CARRY A COMPLETE LINE OF ALUMINUM AND BRASS ADAPTERS

Adjustable Hose Nozzles

(Series JAHN)



Size	Type	Price/Each
1½" IPT	Lexan	\$ 24.50
1½" NST	Lexan	24.50
2" IPT	Lexan	48.00
1½" IPT	Brass	72.50
1½" NST	Brass	72.50

Brass Adjustable Garden Hose Nozzle

(Series JAHN)



Size	Price/Each
¾" x 6" GHT	\$ 41.50

Adjustable Hydrant Wrench

(Series JAHW)



Price/Each
\$ 48.00

Sand Blast Couplings

(Series EQ)
Aluminum



Size	Price/Each
1½"	\$ 14.00
¾"	16.50
1"	18.35
1¼"	33.10
1½"	36.10

Sand Blast Nozzle Holder

(Series EHE)
Aluminum



Size	Price/Each
1½"	\$ 17.50
¾"	15.05
1"	17.20
1¼"	22.55
1½"	29.85

Sand Blast Hose Gaskets

(Series ESBG)



Price/Each
\$ 1.20

Hose Safety Clips

(Series ESC)



Price/Each
Safety Clip \$.40
Safety Lanyard .50

Brass Valves

(Series VFBV)



Size	Rating	Price/Each	Safety Vented Price/Each
¼"	365#	\$ 6.75	\$ 56.00
3/8"	365#	6.75	56.00
½"	600#	10.50	56.00
¾"	550#	14.00	80.50
1"	550#	24.50	103.00
1¼"	300#	37.50	162.50
1½"	300#	53.00	199.50
2"	300#	80.00	242.00

ALSO AVAILABLE IN STAINLESS OR CARBON STEEL

Heavy Duty T-Bolt Clamps

(Series HP)

Stainless Steel w/ Plated Screw



Size	Price/Each
¾"	\$ 3.50
1"	4.75
1¼"	5.50
1½"	5.75
2"	6.50
2½"	8.50
3"	8.75
4"	10.50
6"	16.00
8"	16.75

PLEASE SPECIFY HOSE O.D. WHEN ORDERING

Water Hose Couplings

(Series A)



Hose I.D.	Thread	Price/Each
3/8"	GHT	\$ 9.00
1/2"	GHT	9.00
5/8"	GHT	9.00
¾"	GHT	9.00
1"	NPSM	18.50

Water Hose Washers

(Series RW)



Size	Price/Each
¾"	\$.12
1"	.55

PIPE FITTINGS

Female to Male Hex Nipple

(Series JFM)

Brass



Size

Price/Each

3/4" GHT x 1" NPT	\$ 21.50
1" NPT x 3/4" GHT	22.00
1-1/2" NPT x 1-1/2" NPSH	21.65
2-1/2" NPT x 2-1/2" NPSH	49.65
1-1/2" NPT x 1-1/2" NST	21.65
2-1/2" NPT x 2-1/2" NST	49.65
3" NPT x 2-1/2" NST	105.75
1" NPSH x 3/4" GHT	22.15
1-1/2" NPSH x 1-1/2" NPT	21.65
1-1/2" NPSH x 1-1/2" NST	21.65
1-1/2" NST x 1-1/2" NPT	25.20
1-1/2" NST x 1-1/2" NPSH	25.20
2-1/2" NST x 2" NPT	86.80
2-1/2" NST x 2-1/2" NPT	54.60
2-1/2" NST x 3" NPT	91.00
2-1/2" NST x 2-1/2" NPSH	80.45

Male to Male Hex Nipple

(Series JMM)

Brass



Size

Price/Each

1" NPT x 3/4" GHT	\$ 20.75
1" NPT x 1" NPSH	20.75
1-1/2" NPT x 1-1/2" NPSH	23.75
2" NPT x 2" NPSH	70.00
2-1/2" NPT x 2-1/2" NPSH	53.20
1" NPT x 1" NST	20.25
1-1/2" NPT x 1-1/2" NST	23.75
2" NPT x 2-1/2" NST	64.85
2-1/2" NPT x 2-1/2" NST	46.45
3" NPT x 2-1/2" NST	106.25
1-1/2" NST x 1-1/2" NST	26.55
1-1/2" NST x 1-1/2" NPSH	26.60

Union

(Series P64-6)

150# Galvanized

Female
NPT

Price/Each

3/8"	\$ 17.85
1/2"	17.00
3/4"	18.60
1"	23.25
1-1/2"	18.50
2"	57.62



90° Street Elbow

(Series P64-10)

150# Galvanized



Size

Price/Each

1/4"	\$ 7.82
3/8"	8.12
1/2"	7.95
3/4"	7.68
1"	10.44
1-1/2"	23.00
2"	36.35

90° Elbow

(Series P64-16)

150# Galvanized



Female
NPT

Price/Each

1/4"	\$ 5.96
3/8"	5.65
1/2"	3.62
3/4"	4.85
1"	8.12
1-1/2"	17.98
2"	27.32

Threaded Coupling

(Series P64-4)

150# Galvanized



Female
Size

Price/Each

1/4"	\$ 6.92
3/8"	6.92
1/2"	5.48
3/4"	6.40
1"	10.54
1-1/2"	16.54
2"	24.12

Female Tee

(Series P64-2)

150# Galvanized



Female
NPT

Price/Each

1/4"	\$ 4.75
3/8"	7.75
1/2"	4.60
3/4"	8.05
1"	11.92
1-1/2"	28.54
2"	43.12

Reducer Bushing

(Series P64-5)

150# Galvanized



Male
NPT

Female
NPT

Price/Each

3/8"	1/4"	\$ 11.00
1/2"	1/4"	11.00
1/2"	3/8"	10.92
3/4"	1/2"	8.28
1"	1/2"	8.30
1"	3/4"	7.98
1-1/2"	3/4"	16.70
1-1/2"	1"	15.00
2"	1-1/2"	15.56

Square Head Plug

(Series P64-65)

150# Galvanized



Thread
Size

Price/Each

1/4"	\$ 6.00
3/8"	6.32
1/2"	3.98
3/4"	6.18
1"	5.68
1-1/2"	12.88
2"	15.92

HOSE CLAMPING SYSTEMS

Band-It Clamps - Preformed (Series BJ)

High Carbon Coated Steel Also Available in Stainless Steel



Part No.	Clamp I.D.	Band Width	Price/Each
BJS-301	7/8"	3/8"	\$.95
BJS-302	1 3/8"	3/8"	1.04
BJS-303	1"	1/2"	1.32
BJS-304	1 1/4"	1/2"	1.45
BJS-305	1 1/2"	5/8"	1.72
BJS-306	1 3/4"	5/8"	1.90
BJS-307	2"	5/8"	2.08
BJS-308	2 1/4"	5/8"	2.22
BJS-309	2 1/2"	5/8"	2.38
BJS-310	2 3/4"	3/4"	2.86
BJS-311	3"	3/4"	3.02
BJS-312	3 1/2"	3/4"	3.25
BJS-313	4"	3/4"	3.76
BJS-314	4 1/2"	3/4"	3.98
BJS-315	5"	3/4"	4.34
BJS-318	7"	3/4"	5.92

Band-It Tools (Series BC)

Band-It Tool

Band-It Adapter



Price/Each

\$ 245.00



Price/Each

\$ 217.50

BAND-IT ADAPTER REQUIRED FOR USE WITH PREFORMED CLAMPS

Stainless Steel Band-It Band & Buckles (Series BC)



Width	Band Price/100 Ft Box	Buckles Price/100 Pc Box
3/8"	\$ 136.50	\$ 94.00
1/2"	184.00	127.00
5/8"	222.00	159.00
3/4"	275.00	192.00

Center Punch Clamps - Preformed (Series BCP)

Galvanized Carbon Steel Also Available in Stainless Steel



Part No.	Clamp I.D.	Band Width	Price/Each
BCP-1	1"	3/8"	\$ 1.00
BCP-2	1 3/8"	3/8"	1.10
BCP-3	2"	3/8"	1.10
BCP-4	1"	5/8"	1.15
BCP-5	1 1/4"	5/8"	1.15
BCP-6	1 1/2"	5/8"	1.40
BCP-7	1 3/4"	5/8"	1.40
BCP-8	2"	5/8"	1.65
BCP-9	2 1/4"	5/8"	1.65
BCP-10	2 1/2"	5/8"	1.85
BCP-11	2 3/4"	5/8"	1.85
BCP-12	3"	5/8"	2.05
BCP-14	3 1/2"	5/8"	2.10
BCP-16	4"	5/8"	2.30
BCP-18	4 1/2"	5/8"	2.50
BCP-20	5"	5/8"	2.65
BCP-26	6 1/2"	5/8"	3.50
BCP-28	7"	5/8"	3.95

Center Punch Tools (Series BCP)

Heavy Duty Locking Tool
Imported

Intermediate Locking Tool



Price/Each

\$ 157.50



Price/Each

\$ 172.00

FOR 5/8" WIDE CENTER PUNCH CLAMPS

Center Punch Mallet (Series BCP)



Price/Each

\$ 101.90

Rubber Tie-Down Straps (Series 8100)

Size	Span Range	Price/Each
5"	10" - 15"	\$ 2.20
10"	15" - 20"	2.25
15"	20" - 30"	2.65



Size	Span Range	Price/Each
21"	30" - 40"	\$ 2.85
31"	40" - 55"	3.60
41"	50" - 60"	5.40

HYDRAULIC HOSE ASSEMBLIES

SAE 100R1AT/1SN • One Wire Braid Hose Assembly

Service: Medium/high pressure hydraulic hose assembly for all types of equipment uses.

Construction: Oil resistant tube and cover with one braid of high tensile steel wire. Includes rigid male pipe thread both ends.

I.D.	Braid	W/P	Price/ 1 Ft Assembly	Additive Per Ft
1/4"	1-Wire	3270#	\$ 22.96	\$ 2.90
3/8"	1-Wire	2615#	26.18	3.16
1/2"	1-Wire	2320#	29.94	3.56



★ Made in U.S.A.

(Series 1940A)

LESS 10% - BULK PACKAGE

SAE 100R16 • Two Wire Braid Hose Assembly

Service: High pressure hydraulic hose assembly for all types of equipment uses. Features the bend radius of 1-wire braid hose.

Construction: Oil resistant tube and cover with two braids of high tensile steel wire. Includes rigid male pipe thread both ends.

I.D.	Braid	W/P	Price/ 1 Ft Assembly	Additive Per Ft
1/4"	2-Wire	5800#	\$ 24.54	\$ 4.48
3/8"	2-Wire	5000#	28.26	5.24
1/2"	2-Wire	4500#	32.18	5.80
3/4"	2-Wire	3500#	54.34	9.30
1"	2-Wire	2700#	90.74	12.08



★ Made in U.S.A.

(Series 1960A)

LESS 10% - BULK PACKAGE

SAE 100R12 • Four Spiral Hose Assembly

Service: Extreme High pressure hydraulic hose assembly for all types of equipment uses.

Construction: Oil resistant tube and cover with four spirals of high tensile steel wire. Includes rigid male pipe thread both ends.

I.D.	Spiral	W/P	Price/ 1 Ft Assembly	Additive Per Ft
1/2"	4	4000#	\$ 34.28	\$ 12.32
3/4"	4	4000#	56.44	17.32
1"	4	4000#	81.92	21.20
1 1/4"	4	3000#	163.54	29.42
1 1/2"	4	2500#	236.94	36.32
2"	4	2500#	356.04	51.42



(Series 1992A)

LESS 10% - BULK PACKAGE

SAE 100R4 • Hydraulic Suction Hose Assembly

Service: Low pressure hydraulic return line or petroleum suction.

Construction: Oil resistant tube and cover with textile reinforcement and wire helix for suction. Includes rigid male pipe thread both ends.

I.D.	Ply	W/P	Price/ 1 Ft Assembly	Additive Per Ft
3/4"	2-Ply	300#	\$ 47.40	\$ 11.54
1"	2-Ply	250#	59.96	11.84
1 1/4"	2-Ply	200#	129.00	13.72
1 1/2"	2-Ply	150#	216.86	16.24
2"	2-Ply	100#	324.62	20.20



★ Made in Canada

(Series 1920A)

LESS 10% - BULK PACKAGE

Universal Truck/Fleet/Multi-Purpose Hose

Service: High temperature, medium pressure hose for applications including oil lines, transmission coolant and filtration lines.

Construction: Black CPE tube, wire and textile braid, and blue impregnated textile braid cover.

SAE Size	Braid	W/P	Price/Ft	Reusable NPT Male	Reusable JIC Female
-4	1-Wire	2000#	\$ 8.42	\$ 13.50	\$ 13.05
-5	1-Wire	1500#	8.70	21.50	18.28
-6	1-Wire	1500#	9.64	15.45	18.94
-8	1-Wire	1250#	10.42	25.60	21.92
-10	1-Wire	1000#	12.02	29.38	32.60
-12	1-Wire	750#	14.16	40.00	45.02



★ Made in U.S.A.

(Series 1934)

LESS 10% - BULK PACKAGE

HYDRAULIC HOSE ACCESSORIES

Hydraulic Hose Crimper

(Series KPC)



Price/Each

\$ 10,675.00

INCLUDES DIE SETS

- 60 ton cylinder
- Common base for bench mounting.
- Includes 5 die-sets to crimp thru 1" size.
- Two-piece "slide-in" die design for easy installation.
- Adjustable coupling stop for accurate, repetitive positioning of assemblies in dies.
- Color coded die sets make selection easy.
- Removable pusher and spring-loaded die set for easy loading.
- Crimps through 1-1/4" I.D. 2-wire and 4-wire hose with all coupling styles including most bent tubes.
- 1HP, 110V AC Single Phase, 50-60 Hz, Electric Pump.
- 11" Wide x 22" Deep x 19" High.
- 125 lbs. with Pump.

Hydraulic Quick-Couplings Industrial Series

(Series KQD-H)



H-Coupler		H-Plug	
Size	Working Pressure	Coupler Price/Each	Plug Price/Each
1/4"	5000#	\$ 21.95	\$ 10.40
3/8"	4000#	27.50	12.50
1/2"	4000#	34.65	13.65
3/4"	4000#	55.75	26.95
1"	4000#	92.10	38.50

Hydraulic Quick-Couplings Flush Face Series

(Series KQD-FF)



FF-Coupler		FF-Plug	
Size	Working Pressure	Coupler Price/Each	Plug Price/Each
3/8"	4375#	\$ 68.50	\$ 29.00
1/2"	4250#	83.00	46.70
3/4"	3650#	186.75	85.00
1"	3650#	259.00	160.75

Hydraulic O-Ring Kit

(Series O)

- 4 in 1 O-Ring Kit
- Handy Carrying Case
- 90 Durometer Nitrile
- Flat Face
- SAE Flange
- Boss
- Tube Fittings



Price/Each

\$ 180.50

Protective Hose Sleeve

(Series KGT)

Black Nylon

Size I.D.	Price/Ft
.79	\$ 1.65
.98	1.90
1.06	1.95
1.22	2.05
1.42	2.30
1.57	2.50
1.73	2.65
2.17	3.55



SOLD IN 100 FT LENGTHS ONLY

Hydraulic Oil

(Series K5)

- All Purpose #32 Hydraulic Oil
- 5 Gallon Pail

Price/Each

\$ 192.50



Thread Sealant

(Series KHP)

- High Pressure Thread Sealant
- 1.69 Fluid Oz. Bottle

Price/Each

\$ 58.50



**'We Sell
The Good Stuff'
Why buy anything else?**



**ABBOTT RUBBER
COMPANY, INC.**

**1700 NICHOLAS BLVD. • ELK GROVE VILLAGE, IL 60007 • 800.852.1855
2335 NEWBURG ROAD. • BELVIDERE, IL 61008
E-MAIL sales@abbottrubber.com • WEBSITE www.abbottrubber.com**

